

AYURLOG

National Journal of Research in Ayurved Science

http://www.ayurlog.com

April- June: 2021 | Volume: 09th | Issue: 2nd

ISSN: 2320-7329

Internal and external treatment for *Kushtha* mentioned in *Bhihattraye-*A Review

Priyanka Sudamrao Deshmukh*¹, Nawkar Madhumati², Prashant P. Kachare³

- 1. PG Scholar
- 2. Associate Professor and HOD; madhumati.nawkar@gmail.com mob no. 9657355366
- 3. Professor, drprashantkachare1@gmail.com mob no 9822924392

PG Department of Sanskrit Samhita Siddhant, R.T. Ayurved Mahavidyalaya, Akola, Maharashtra, India

*Corresponding author: priyankadeshmukh.c@gmail.com; mob no 8857833231

Abstract:

kusththa disease is hard and chronic to treat so that kushtha considered as dushchikitsya.kushtha is tridoshatmak hence all types of treatment Shodhana, Shamana useful Bahiparimarjana are kushtha. The frequent Shodhana is necessary in kushtha. Acharya Sushruta in chikitsa 9/43 and Acharya Vagbhata in chikitsa 19/96 said Vamana once in fifteen days, Virechana once in month. Stravana once in six month and Nasya once in 3 days. According Brihattrayee after Shodhana treatment, Shamana and Bahiparimarjana treatment are useful in kushtha. Acharyas described abundant drugs used in kushtha chikitsa as Shodhana, Shamana and Bahiparimarjana. In the present study the drug regimen used for Shodhana. Shamana and

Bahiparimarjana in kushtha and it's mode of actions in order to conduct sampraptibhnag is studied.

Keywords: Shodhana, Shamana, Bahiparimarjana.

Introduction:

Kushtha is one among Dirghakalin vyadhi and also one of the ashthamahagada¹Rakta pradoshaja vikara² and Santarpanajanya³ kushtha is difficult to cure so it is called Dushchikitsya. Shodhana karma helps in removal of Bahudoshas, Rakta pradoshaj vikara hence Shodhana is great importance in kushtha chikitsa.shodhana treatment in kushtha is important as well as *Shamana* and Bahiparimarjana chikitsa also important in kushtha.

In *kushtha* there is involvement of skin as a *Dushya*⁴, so external treatment is important. Ayurveda has abundant aushadhi skandha and thus from external rout we can used so many drugs for the treatment of kushtha. Acharya Charaka , Sushruta and Vagbhata described many drugs in Shamana chikitsa as Kwatha, Churna. Arishtha, Avleha, Yavagu sevana, Anya Rasayana, Vati kalpana, Ghrita or taila snehapana and Bahiparimarjana chikitsa as Lepa, Parisheka, Snana, ksharprayoga, *Udvarthana and Abhyang.*

Aim:

To study the drug regimen in *kushtha* in the *Brihattrayee*.

Objectives:

- 1. To compile the information Shodhana drugs used in kushtha.
- 2. To compile the information of Shamana drugs used in kushtha. Ayurved Kesearch

Shodhana chikitsa

3. To compile the information Bahiparimarjana drugs used in kushtha.

Materials:

Brihattrayee will be critically analysed study of kushtha chikitsa adhyaya thoroughly in order to understand which kalpas, Drugs are used in Brihattrayee for Shodhana, Shamana and Bahiparimarjana chikitsa.

Methods:

- 1. Kushtha chikitsa adhyaya in *Brihattrayee* thoroughly studied.
- 2. Drugs regimen for Shodhana is collected.
- 3. Drugs regimen for Shamana is collected.
- 4. Drugs regimen for Bahiparimarjana is collected.
- 5. Data is categorised and analysed.

Observations: Copying House

Shodhana Karma	Drugs mentioned in Charaka samhita	Drugs mentioned in Sushruta samhita	Drugs mentioned in Vagbhata(A.H) samhita
Vamana	Kutaja, Madanphala, Patolpatra, Madhuka, Nimba, Madhu, Krutvedhana.		
Virechana	Trivruta, Danti Dravanti, Sudha, Saptlashankhini, Triphala.		
Asthapana Basti	Patolpatra, Darvi, Bruhati, Nimba patra, Madanphala, Argwadha, Indrajau, Nagarmotha, Taila, Ghrita.Rasnadi niruh Basti ⁵ .		

2 | April-June: 2021 | Volume: 09th | Issue: 2nd

Anuvasana Basti	Madanphala, Madhuka, Nimba, Kutaja, Patolpatra. Basti of Vidanga taila.Dipana Vrushya Basti ⁶ .	
Raktamokshana	Siravedhana, Shrunga, Alabu, Jaloka, Prachchana, Shastra.	Jaloka, Alabu, Prachchana.
Nasya	Saindhava, Danti, Maricha, Phanijhaka, Vidang, Karanjaphala.	

Shamana Chikitsa:

Yogas	Drug mentioned in Charaka samhita	Drugs mentioned in Sushruta samhita	Drugs mentioned in Vagbhata (A.H)samhita
Kwatha	Argwadha, Palasha, Gavakshya, Rasanjana, Kutaja, Vacha, Rohini.	Haritki, Kshiraparna.	Kakodunmbara, Vishala, Guduchi, Devdaru.
Churna	Katuka, Vacha, Patolpatra, Palasha, Bhunimba, Nishorga, Brahmi.	Shalsaradigana dravya, Argwadhadi gana dravya.	Kutki, Laksha, Danti, Vidang, Pratekpushpi, . Suvarnmakshik, Gomutra, Amalki, Shilajita, Khadira, Mandura.
Asava	Madhvasava-khadira etc. Triphalasava.	Palasha, Shalsaradi gana, Nygrodgadi gana, Argwadha gana, Gomutra.	Asava doesn't mentioned in kushtha chikitsa.
Arishtha	Khadira, Vidanga, Rajani, Musta, Indryava, Twaka, Guduchi.	Karanja, Cha ta, Chitrala, Devdaru, Sariva, Danti, Trivruta, Pippli.	Arishtha doesn't mentioned in kushtha chikitsa.
Avleha	Avleha doesn't mentioned in kushtha chikitsa.	Khadira, Vijayasara, Argwadha, Haritaki, Trikatu.	Bhunimba, Padma, Kushtha, Murva, Ativisha, Patol, Rajani, Patha,

E- ISSN: 2320-7329

			Kutaki, Indrajava, Vekhand, Amalki, Mandur.
paniya kshara	Palasha kshara ⁷	Doesn't mentioned in kushtha chikitsa.	Kshara prayoga.
Vati kalpana	Doesn't mentioned in kushtha chikitsa.	Doesn't mentioned in kushtha chikitsa.	Vidanga, Abhaya, Amalki, Rajani, Pippli, Nagar, Suvarnmakshik, Nishottara, Bhallatka, Bakuchi, Chitrak, Langli.
Ghrita or taila snehapana	Tiktashathpalk Ghrita ⁸ , Magakhadira Ghrita ¹¹ .	Nila Ghrita ⁹ , Lakshadi Ghrita ¹⁰ .	Nimba, Chitrak, Kushtha, Argwadha, Marich, Abhaya, Bhallatka. Argwadha kalka siddha Ghrita. Danti mul siddha Ghrita.
Yavagu sevana	Doesn't mentioned in kushtha chikitsa.	Khadiradi Yavagu ¹² .	Doesn't mentioned in kushtha.
Rasa Dravya	Suvarnmakshik, Yograj ras+parad bhasm, Gandhak, Shilajatu + parad bhasm ¹³ .	Loh Rasayana ¹⁴ .	Suvarnmakshik, Mandur, Shilajita ¹⁵ .

Yoga	Common Drugs in Brihattrayee	Common Drugs in <i>Charaka-</i> <i>Sushruta</i>	Common Drugs in Sushruta- Vagbhata	_
Kwatha	Nimba patra, Khadir.	Saptaparna	-	Patil, Triphala, Nishotha, Traymana, Katurohini, Shunthi, Manjishtha, Rajani yashthimadhu.
Churna	Chitrak, Indyava,	-	Patha.	Trikatu,

	Murva, Saptaparna, Nimba.			Triphala, Manjishtha, Devdar, Dashmule, Ativisha, Musta, Rajani, Pippli, Vishala.
Asava	1	Triphala	-	-
Arishtha	-	Triphala, Trikatu	-	-
Avleha	-	-	Trivruta, Madhu, Ghrita, Nimba, Triphala, Pippli, Vidanga	-
Paniyakshara	-	-	-	-
Vati kalpana	-	-	-	-
Ghrita taila snehapana	-		-	_
Yavagu sevana	-	V-14	- -	-

Bahiparimarjana chikitsa

	- Ayurvea kesearca	Copying Flouse	
Yoga	Drugs mentioned in Charaka samhita	Drugs mentioned in Sushruta samhita	Drugs mentioned in Vagbhata (A.H.) samhita
Snana	Saptaparna (Siddharthk Snana) ¹⁶	-	Kushtha, Phalini, Argwadha, Shwet siddharthk
Kushthhar snanadi	Aashthruka, Karviraka, Karanj	Swarnkshiri, Lodhra, Shirisha, Gomutra, Argwadha, Bijaka , Ajkarna, Sarjarasa, Shirisha, Gomutra	_
Parisheka	-	Gomutra	-
Kshara prayoga	Kadlyadi kshara ¹⁷	-	-
Udvarthana	Arka, Tuttha, Mulaka, Indrajau, Kutaki,	Swarnkshiri, Argwadha, Shirisha,	Guggul, Marich, Gandhaka, Sarjarasa,

E- ISSN: 2320-7329

	Bruhati, Karvira, Aidgaja, Chitrak, Vacha	Ajkarna	Manshila, Rajani, Hartala
Abhyang	Shwet karvira pallavadhya Taila ²¹ , Tiktekshwadi taila ²² , Kank kshiri Taila ²³ , Mahakhadira Ghrita		Vajraka Taila
Lepa	Indrajau, Phalgu, Aidgbija, Ativisha, Kapittha, Twaka, Renuka, Pruthvika, Varahrudhira, Kinva, Tumba, Mudgparni, Putikaranja, Pakwasura, Priyangu,	Bakuchi, Jyotishmati, Pippli, Hartala, Tuttha, Sajiksara, Adusa, Suvarnmakshik, Bhallatka, Laghu kantkari, Gojivha, Kakodumbara, Shigru, Gajmutra, Chakramarda, Swarnkshiri, Ajkarna, Hastidagdha charma, Bibhitaka	Ghrita, Shatdhaut Ghrita, Yavasara, Jivanti, Manjishtha, Kampillak, Siktha, Guggul, Sindur, Shobhanjanka, Guduchi, Apamarga,

Yoga	Common Drugs in Brihattrayee	Common Drugs in Charaka- Sushruta		Common Drugs in <i>Charaka</i> - <i>Vagbhata</i>
Snana	-	-	-	Musta, Madanphala, Triphala, Karanja, Argwadha, Darvi
Kushthhar snanadi	-	Kutja, Nimba, Saptaparna, Khadira	-	_
Parisheka	-	-	-	-
Kshara prayoga	-	-	-	-
Udvarthana	-	Kutaja, Nimba	-	Musta, Kasis, Vidanga, Sarshapa, Darvi,

E- ISSN: 2320-7329

				Kampillak, Kushtha
Abhyang	-	-	-	-
Lepa	Kushtha, Rasanjana, Darvi, Chitrak, Marich, Rajani, Gruhdhuma, Karvira, Prapund bija, Loha, Kutaja, Karanja, Jati, Manshila, Kasis, Sarshapa, Nimba, Araka	Vidanga, Haritaki, Gomutra, Lavana, Sudha, Gorochana, Bruhati, Lodhra, Sugandhabala, Kutaki	Laksha, Sarjarasa, Trikatu, Shirisha, Madhuka, Takra	Trivruta, Karpasa, Kakmachi, Mrunalani , Nagkeshara, Chandan.

Gana	Drugs mentioned in Shodhana chikitsa	Drugs mentioned in Shamana chikitsa	Drugs mentioned in Bahiparimarjana chikitsa
Kushthaghna ²⁴	Argwadha, Vidanga Ayurved Research	Argwadha, Haritaki, Khadira, Vidanga, Amalki, Rajani, Bhallatka, Saptaparna	Saptaparna, Argwadha, Karvira, Khadira, Vidanga, Jati, Haritaki, Rajani
Krimighna ²⁵	Vidanga, Marich	Vidanga, Marich	Vidanga, Marich, Apamarga
Kandughna ²⁶	Argwadha, Nimba, Darvi, Kutaja, Madhuka, Musta, Karanja	Argwadha, Nimba, Darvi, Musta, Kutaja, Madhuka	Argwadha, Nimba, Sarshapa, Musta, Darvi
Varnya ²⁷	Madhuka	Madhuka, Manjishtha, Sariva, Padmak	Chandan, Manjishtha
Dahprashamana ²⁸	Madhuka	Gambhari, Guduchi	Chandan, Guduchi
Udardprashamana ²⁹	-	Khadira, Saptaparna	Khadira, Saptaparna

Discussion:

Indeed the is vast range of medicine explained for *Kushtha chikitsa*. All types of *Shodhana* (*Panchakarma*) are mentioned by all *Acharya's*. Indeed *Panchakarma* is very important for this disease as it is chronic and *Tridoshatmak*. The main principle is use of appropriate *Shodhana* as per the Dosha dominance for eg Vamana in kaphaja *kushtha*, *Virechana* in *pittaja kushtha* and *Anuvasana Basti* in *vataja kushtha* is mentioned³⁰.

Raktamokshana plays important role in kushtha as Vyadhipartikar and Apunarbhava chikitsa.

Raktamokshana is done by Siravedhana, Prachchana when kushtha is in gambhir avsta, Shrunga and Alabu are explained for alpa Dosha kushtha and in uttan avastha by Acharya Charaka³¹ and Prachchana is mentioned by Acharya Vagbhata³², by Jaloka when alpa Doshas in kushtha and by Shastra when kushtha is stable and hard patchy explained by Acharya Charaka³³ and by Vagbhata Jaloka, Alabu according to condition of Doshas in kushtha³⁴.

There are enormous drugs for Shamana and they are used in various forms such as Kwatha, Churna, Asava, Arishtha, Avleha, Ghrita taila snehapana, Vati kalpana and Yavagu sevana. Many drugs are used in many forms for eg. Triphala is in Churna Asava, Arishtha and Kwatha. Avleha form. Some drugs are used in external and internal chikitsa such as Argwadha, Marich, Rajani, Saptaparna, Khadira, Vidanga, Haritaki, Nimba, Manjishtha, Guduchi, Darvi and Musta.

There are some drugs which are commonly used as *Shamana chikitsa* and also *Shodhana chikitsa* also which includes *Patolpatra*, *Nimba*, *Kutaja*, *Triphala*, *Marich*, *Vidanga*, *Argwadha and Pippli*.

Among Ghrita kalpana mainly used drugs are Tiktarasatmaka and Tiktashathpalk Ghrita, Mahatikta Ghrita mentioned by Acharya Charaka then Nila Ghrita, Lakshadi Ghrita are mentioned by Sushruta in Shamana chikitsa.

The reason behind application of such huge drug regimen is because kushtha has Saptako Dravya sangraha 7 factors³⁵ are involved. The permutation and combination of these factors manifest different symptoms so variety of drugs are necessary. These drugs can be directly kushthaghna such as Argwadha, Haritaki, Khadira, Nimba. Amalki, Rajani, Vidanga, Bhallatka, Saptaparna, Marich, Darvi, Kutaja, Madhuka, Manjishtha, Sariva, Gambhari, Padmaka and Guduchi from these drugs some of them are Krimighna (which kills krimi), kandughna (aim to reduce itching), varnya (which enhance complexion), dahprashamana (which decrease daha), udardprashamana (aim to reduce udarda). These drugs are Vyadhi prtyanik.

If one observes these drugs the most common drugs which are used in every kalpana are Triphala which is used in 6 times, Argwadha 6 times, Trikatu 4 times, Nimba 5 times, Khadira 8 times and Rajani 6 times etc. These drugs are Laghu, Ruksha, Snigdha and Tikshna gunatmaka. Sheet Ushana Viryatmaka, Katu Tikta Kashaya rasatmaka and Katu Vipaka.Laghu Ruksha Tikshna guna which will result is kledo shoshana and rakta Prasada.

As we know the etymology of kushtha indicates (kushnati vapu) vitiation of skin occurs the external *chikitsa* also plays role.Like vital Shamana chikitsa Bahiparimarjana has also enormous drug regimen and it can be used in various forms such as Snana- "Siddharthaka snan" is specifically mentioned in kushtha Bahiparimarjana chikitsa, Udvarthana. Kushthhar Snanadi. Ksharprayoga, Abhyanga and Lepa. The commonly used drugs in Bahiparimarjana chikitsa such as Argwadha 5 times, Saptaparna 2 Times, Karvira 2 times, Karanja 3 times, Kutaja 3 times, Rajani 2 times, Sarshapa 2 times, Khadira 2 times and Arka 2 times in various form of Kalpana.

The drugs common in Shodhana, Shamana and Bahiparimarjana such as Nimba, Kutaja, Darvi, Danti, Argwadha, Vidanga, Pippli, Marich and Triphala.

Rasa Dravyas are also used in kushtha chikitsa. Actually Brihattrayee are ancient texts before the rise of Rasashastra so in Brihattrayee mainly herbal drugs are described but in kushtha chikitsa Rasa Dravyas are also mentioned such as-Swarnmakshhika, Shilajita, Mandura and Gandhaka. Not only this but the only single reference of use of "Parada" in Charaka Samhita is observed in kushtha chikitsa³⁶.

Shodhana, Shamana and Bahiparimarjana chikitsa are equally important in kushtha chikitsa to avoid recurrence of kushtha.

Conclusion:

- 1. All the *panchakarmas* including *Raktamokshana* is mentioned in *kushtha chikitsa* frequently.
- 2. There are various kalpana of Shamana aushadhi used in kushtha namely Kwatha, Churna, Asava, Arishtha, Avleha, Paniyakshara, Vati kalpana, Ghrita taila snehapana and Yavagu Sevan.
- 3. Use of *Rasa Dravyas* as *Shamana* medicines includes *Gandhak*, *Swarnmakshhika*, *Shilajita*, *Parada*, *Loha Rasayana* and *Yograja Rasa*.
- 4. Among *Shamna* medicine *Triphala* is used in four places in the form of *Kwatha*, *Churna*, *Asava* and *Arishtha*.
- 5. *Khadira* which is explained as "Agrya" for *Kushtha* and is used in *Shamana* medicine is observed at eight places and *Acharya Charaka* also it used for *Snana*, *pana* and *Bhojanartha*.
- 6. Herbal drugs are used in *Shamana* chikitsa which contain *Argwadha* in six places, *Nimbapatra* in five palaces, *Trikatu* in four places and *Rajani* in six places.
 - 7. There are various modes of Bahiparimarjana mainly Snana, kushthhar Snanadi, Parisheka, Abhyang, Udvarthana, Ksharprayoga and Lepa.
 - 8. Herbomineral drugs used for external purpose includes *Manshila*, *Hartala*, *Kasisa*, *Trapu* are the drug of choice which comes under *Rasa Dravyas*.
 - 9. Herbal drugs are also used for (external) *Bahiparimarjana chikitsa* which includes *Kutaja*, *Karanja*,

- Musta, Argwadha, Gomutra and Vidanga.
- 10. The mention of *Rasa* as *Parada* is the only reference quoted by *Acharya Charaka* is in *kushtha chikitsa*.
- 11. Among Shamana chikitsa the common kalpanas are- Kwatha, Churna, Ghrita taila snehapana. Asava-Arishtha is mentioned by Acharya Charaka- Sushruta and Avleha is mentioned by Acharya Sushruta-Vagbhata, Kshara prayoga is advised by Acharya Charaka-Vagbhata.Only Vagbhata has used Vati kalpana.
- 12. *Khadiradi Yavagu* in mentioned by *Acharya Sushruta* is a unique example of drug plus diet combination.

References:

- 1. Acharya Charaka, Dr. Vidhyadhar Shukla, Dr.Ravidatt Tripathi (ed) Charaka samhita, Indriya sthana aadhyaya 9/8(Vaidyamanorama hindi commentary) Vol-1 chaukhamba sanskrit pratishthan, 2017 pg no 848
- 2. Charaka samhita, sutrasathana pg no 430
- 3. *Ibid Charak samhita, sutrasathana* pg no 317
- 4. *Ibid Charak samhita, chikitsasathana* pg no 182
- 5. Ibid Charak samhita, siddhisathana Pg no 908
- 6. *Ibid Charak samhita, siddhisathana* Pg no 986
- 7. *Ibid Charak samhita, chikitsasasathana* Pg no 201

- 8. *Ibid Charak samhita,* chikitsasasathana Pg no 198
- 9. Acharya Sushruta, Kabiraj Ambikadutta Shaastri, Ayurved tattva sandipika Hindi commentary, Sushruta samhita, chikitsa sthana aadhyaya 9/30-33 chaukhambha sanskrit sansthan, 2018 pg no 66
- 10. *Ibid Sushruta samhita*, *chikitsa sthana* pg no 69
- 11. *Ibid* Charak samhita, chikitsasathana Pg no 199
- 12. Sushruta samhita, chikitsa sthana pg no 70
- 13. *Ibid* Charak samhita, chikitsasasathana Pg no 190
- 14. sushrut samhita chikitsasathana pg no 72
- 15. Acharya Vagbhata, Dr. Ganesh Garde, editor. Sarth Vagbhata, Vagbhata Samhita, chikitsa sthana 19/42, 46, 48 chaulhambha surbharti prakashan, 2019 pg no 318, 319.
- 16. Ibid Charak samhita, chikitsasasathana Pg no 193
 - 17. *Ibid Charak samhita, chikitsasa sathana*Pg no 193
 - 18. *Ibid Sushruta samhita*, chikitsa sthana pg no 69
 - 19. *Ibid Sushruta samhita*, *Chikitsa sthana* pg no 69
 - 20. Ibid Sushruta samhita, chikitsa sthana pg no 67
 - 21. *Ibid* Charak samhita, chikitsasasathana Pg no 194
 - 22. *Ibid Charak samhita, chikitsasasathana* Pg no 195
 - 23. *Ibid Charak samhita, chikitsasasathana* Pg no 195

- 24. *Ibid Charak samhita, sutrasathana* pg no 73
- 25. *Ibid Charak samhita, sutrasathana* pg no 73
- 26. *Ibid Charak samhita, sutrasathana* pg no 73
- 27. *Ibid Charak samhita, sutrasathana* pg no 72
- 28. *Ibid Charak samhita, sutrasathana* pg no 76
- 29. *Ibid Charak samhita*, *sutrasathana* pg no 77
- 30. *Ibid Charak samhita, chikitsa* sathana pg no 186 31.charak samhita chikitsasathana pg no188

- 31. *Ibid Vagbhata Samhita, chikitsa sthana* pg no 316.
- 32. *Ibid Charak samhita chikitsasathana* pg no188.
- 33. *Ibid Vagbhata Samhita, chikitsa sthana* pg no 316.
- 34. *Ibid Charak samhita, chikitsa sathana* pg no182.
- 35. *Ibid Charak samhita, chikitsa sathana* pg no190.
- 36. *Ibid Charak samhita, sutrasathana* pg no 338.

Conflict of Interest:Non

DOI

Source of funding: Nil

https://doi.org/10.52482/ayurlog.v9i02.849

Cite this article:

Priyanka Sudamrao Deshmukh, Nawkar Madhumati, Prashant P. Kachare (2021),

"Internal and external treatment for Kushtha mentioned in Bhihattraye-A Review."

Ayurlog: National Journal of Research in Ayurved Science- 2021; (09) (02):01-11